


FIG. 1



R - LIGHT RECEIVER FIBER OPTICS S - LIGHT SOURCE FIBER OPTIC

FIG. 2




FIG. 3




FIG. 4A

4/99




FIG. 4B




FIG. 4C






FIG. 5A





FIG. 5B








FIG. 7A







FIG. 7B







- S LIGHT SOURCE FIBER R RED RECEIVER

- G GREEN RECEIVER
 B BLUE RECEIVER
 P NEUTRAL (FULL BAND) RECEIVERS

FIG. 9




FIG. 10A

- S LIGHT SOURCE FIBER
- P NEUTRAL (FULL BAND) RECEIVER C COLOR RECEIVER





FIG. 10B

S - LIGHT SOURCE FIBER

 $\ensuremath{\text{R}_{1X}}$ - INNER RING RECEIVER FIBER $\ensuremath{\text{R}_{2X}}$ - 2nd RING RECEIVER FIBER $\ensuremath{\text{R}_{3X}}$ - 3rd RING RECEIVER FIBER








FIG. 10D




FIG. 11







FIG. 12


14/99

















FIG. 16A




FIG. 16B

19/99

INTRAORAL POSITIONING DEVICE





FIG. 17A






FIG. 18






FIG. 19












FIG. 22












FIG. 25




FIG. 26





FIG. 27



28/99

452 C D 450

A - SOURCE
C - RECEIVER
D - RECEIVER

454A D C 458

B - RECEIVER

FIG. 28B

FIG. 28A




FIG. 29




FIG. 30A




FIG. 30B




FIG. 31A




FIG. 31B




FIG. 32




FIG. 33







FIG. 34



36/99





Enamel - Dentin Layers

LIGHT REFLECTION AND SCATTERING

FIG. 37A





FIG. 37B






FIG. 39






FIG. 40








FIG. 42




FIG. 43A




FIG. 43B




FIG. 43C




FIG. 44







FIG. 45























FIG. 49

INTENSITY SPECULAR



INTENSITY DIFFUSE









FIG. 51B






FIG. 52




FIG. 53




FIG. 54







FIG. 55










FIG. 59




FIG. 60




FIG. 61




FIG. 62






FIG. 63










FIG. 66A




FIG. 66B




FIG. 67A





FIG. 67B






FIG. 69






FIG. 70




Block Diagram

FIG. 71




Non-Coherent Light Guide


FIG. 72



Non-Coherent Light Guide End View A




Non-Coherent Light Guide End View B




Optical Manifold

FIG. 74A





Optical Manifold A Exit Port Detail

FIG. 74B




Optical Manifold Spacer






Optical Manifold Bottom View

FIG. 76B




Optical Manifold with Collimation Lenses

FIG. 77




Optical Manifold with Collimation Lenses Constructed from Two Optical Materials with Different Indexes of Refraction

FIG. 78




Optical Manifold with Collimating Lenses and Hollow Cavity and Baffle

FIG. 79




Top View

FIG. 80A



Side View


FIG. 80B




Round to Line Non-Coherent Light Guide

83/99


Round to Line Non-Coherent Light Guide



Non-Coherent Light Guide Round End



Non-Coherent Light Guide Line End



Round to Line Non-Coherent Light Guide with Lens and Absorption Filters




FIG. 84A




FIG. 84B






FIG. 85A

Front View

FIG. 85B




Ray Diagram



Pocket Spectrometer TM Block Diagram

FIG. 87



Optical Sensors Intensity Measurement Examples

FIG. 88






FIG. 89A



Light Bias Manifold-Spacer

FIG. 89B





RISC Software Timing Flow Chart FIG. 90A

Register	Description
LOOP_COUNTER	Number of times the sensor is sampled in the timing loop. This register determines the resolution of the measurement and it also determines the sampling rate. The larger the resolution is, the lower the sampling rate.
NEW_INPUT	New sensor(s) input - each sensor input is one bit
OLD_INPUT	Former sensor input
INPUT_XOR	XOR new and old inputs
N_SENSOR	Number of sensors
SENSOR_INDEX	Index to the sensor being tested
TRANSITION_COUNTER[N_SENSOR]	Array - number of transitions that occurred for sensors
PERIOD_COUNTER_FIRST[N_SENSOR]	Array - number of timing loops executed prior to first sensor transitions
PERIOD_COUNTER_LAST[N_SENSOR]	Array - number of loops that occurred prior to final transition
INTENSITY[N_SENSOR]	Array - calculated intensity for sensor

Timing Loop Register Descriptions


FIG. 90B






Transition Determination Flow Chart

FIG. 90D





Pocket SpectrometerTM Physical, 40 Sensors

FIG. 91




FIG. 92

